

Service Bulletin

Mazda Motor of America, Inc.
7755 Irvine Center Drive
Irvine, California 92718
Telephone (714) 727-1990

MAZDA

Category U	Applicable Model/s All Models	Subject A/C O-RING REPLACEMENT	Bulletin No. 001/94 Issued 2/28/94 Revised
---------------	----------------------------------	-----------------------------------	--

APPLICABLE MODELS/VINS

All Models

DESCRIPTION

Refer to the illustrations on the attached pages and chart below when replacing air conditioning system o-rings. These o-rings are designed for use in both R12 and R134 air conditioning systems.

O-Ring No.	Pipe Size	O-Ring Size	Part Number	89-94 323/Prot.	92-94 MX-3	90-93 MX-5	94 MX-5	89-94 RX-7	95 RX-7	89-93 MPV (S)	94 MPV (S)	88-92 626/MX-6	93-94 626/MX-6	90-93 B-Series	* 94 -Series	* 91-94 Navajo
1	6mm	6.9x1.78	LB51 61 J1X	6	5	4	4	6	6			5	5			
2	5/16in	6.8x1.5	LB52 61 J1X							3	3					
3	3/8in	7.65x1.78	LB53 61 J1X							1	1			4		
4	12mm	10.8x1.78	LB54 61 J1X	3	3	3	1	2	1	3	2	2	2	2		
5	12mm axial	10.8x2.4	LB55 61 J1X				1		1		1	1				
6	16mm	14.0x1.78	LB56 61 J1X	2	2	3	2	3	2	2	1	3	3	4		
7	16mm axial	13.4x2.4	LB57 61 J1X				1		1		1					
8		3/8	ZZL0 61 J19												3	3
9		1/2													4	4
10		5/8													3	3

NOTE: Part numbers ending in "J1X" are delivered in quantities of 10.

* These vehicles are equipped with Ford air conditioning systems. O-Rings for these systems are supplied as a kit (P/N ZZL0 61 J19). The kit contains 96 o-rings (24 o-rings each of the sizes listed above and 24, 3/4inch o-rings).

IMPORTANT: Service and Parts Managers should read this bulletin carefully, sign and convey all information to those concerned.


Signature _____

Service Manager


Signature _____

Parts Manager


323/PROTEGE




MX-3




RX-7




MPV



626/MX-6



MIATA

NAVAJO/94' B-TRUCK

